

WALL MOUNTS



MULTI-PURPOSE ROOMS REQUIRE MULTI-PURPOSE MONITORS. BRET福德 CAN HELP!

CLEVER

Both of these wall mounts for monitors up to 60" Diagonal have a unique one-handed tilt feature with a positive lock (patent pending).

EASY INSTALL

Attach the bracket to the wall - attach the mount to the monitor - lift in place - finish the install.

STURDY & SAFE


Mounts combine with Bretford's proven mounting accessories and hardware for worry-free installations.

HIGH DESIGN

Exclusive aluminum casting s and extrusions create a unique design that complements your expensive equipment. Even looks good from the back!

THE ADJUSTABLE MULTI-PURPOSE ROOM

Large meetings or small breakout groups, all can use wall-mounted monitors



FPLM-FFP-BK Flush Flat Panel Wall Mount

LCD Size	LCD Wt	Tilt	P/L Rotation
≤ 60 in ≤ 152 cm	≤ 170.0 lbs ≤ 77.1 kg	≤ 15°	assemble either Portrait or Landscape



Flush to wall



One-Handed
Pitch Adjustment
(patent pending)




Extended for
hookup



Extended &
pitched up
for service

LARGE DISPLAYS



UNIVERSAL
Mounting arms are uniquely "geared" to keep the mounting holes perfectly synchronized during the assembly process. The pitch and rotation mechanism are then perfectly centered on your monitor.

ROTATE & TILT
Easily turn and tilt your monitor, then lock it into position.

PERFECT FIT
Aluminum castings and solid steel – rock-solid, yet beautiful. The back of the display only enhances the front.

EASY INSTALLATION
This assembly can minimize your installation frustration. Mount the plate to the wall. Attach the bracket to the monitor, then lift into a pocket which holds the monitor in place while you finish the install.




LOBBY MESSAGE BOARD

The Universal Arm Display can change as quickly as your schedule.

- 1 Landscape Format flush against the wall
- 2 Landscape Format extended out and tilted
- 3 Portrait Format tilted tight against the wall
- 4 Portrait Format extended out and tilted

FPLM-ARM-AL Adjustable Arms Universal Flat Panel Wall Mount

LCD Size	LCD Wt	Tilt	P/L Rotation
≤ 60 in	≤ 170.0 lbs	≤ 15°	360°
≤ 152 cm	≤ 77.1 kg		



CEILING MOUNTS



LARGE MONITORS NEED TO BE CEILING MOUNTED FOR OPTIMAL VIEWING. BRETTFORD CAN HELP!

CLEVER

Both of these ceiling mounts for monitors up to 60" Diagonal have a unique one-handed tilt feature with a positive lock (patent pending).

EASY INSTALL

Attach the bracket to the ceiling structure – attach the mount to the monitor – lift in place – finish the install.

STURDY & SAFE


Mounts combine with Bretford's proven mounting accessories and hardware for worry-free installations.

HIGH DESIGN

Exclusive aluminum castings and extrusions create a unique design that complements your expensive equipment. Even looks good from the back!

MANUFACTURING COMMUNICATION

Monitor production output, safety messages and quality statistics from the shop floor



UNIQUE POLE DESIGN

Attach monitors front and back utilizing the Universal Arm Brackets with spikes in the slots. Ceiling Poles come in 36", 48", 60" & 72" lengths. Order Poles separately.




FPCM-2-AL Dual Monitor Universal Flat Panel Ceiling Mount

LCD Size	LCD Wt	Pole Height	Tilt	P/L Rotation
≤ 60 in ≤ 152 cm	≤ 300.0 lbs ≤ 136.0 kg	see below	≤ 15°	360°

FPCMPOLE36	36.0" 91.4 cm
FPCMPOLE48	48" 121.9 cm
FPCMPOLE60	60" 152.4 cm
FPCMPOLE72	72" 182.9 cm

LARGE DISPLAYS



UNIVERSAL

Mounting arms are uniquely “geared” to keep the mounting holes perfectly synchronized during the assembly process. The pitch and rotation mechanism are then perfectly centered on your monitor.

ROTATE & TILT

Easily turn and tilt your monitor, then lock it into position.

PERFECT FIT

Aluminum castings and solid steel — rock-solid, yet beautiful. The back of the display only enhances the front.

EASY INSTALLATION

This assembly can minimize your installation frustration. Mount the plate to the wall. Attach the bracket to the monitor, then lift into a pocket which holds the monitor in place while you finish the install.



HIGH CLASSROOM CEILINGS

Position monitors at just the right height for student viewing and angle

FPCM-1-AL Single Monitor Universal Flat Panel Ceiling Mount

LCD Size	LCD Wt	Pole Height	Tilt	P/L Rotation
≤ 60 in ≤ 152 cm	≤ 170.0 lbs ≤ 77.1 kg	see below	≤ 15°	360°

FPCMPOLE36	36.0" 91.4 cm
FPCMPOLE48	48" 121.9 cm
FPCMPOLE60	60" 152.4 cm
FPCMPOLE72	72" 182.9 cm



UNIVERSAL ADJUSTABLE DATA PROJECTOR MOUNTS



ADAPTABLE

Angle positioning for cathedral & beam ceilings

EASY TO USE

Knobs and handles make adjustments easy. "Quick Release" mechanism for safety and easy removal.

ADJUSTABLE

Hollow extension tube is great for feeding cables and adjusts from 23" to 43" long for the perfect viewing angle and position.

ACCOMMODATING

Features flexible tilting and 360 degree rotation due to ball and socket joints.

VERSATILE

Four universal mounting arms work with most bottom-mounted LCD Projectors.

GENERAL SPECIFICATIONS

Bretford's new Universal Adjustable Data Projector Mounts easily adjust to fit most bottom mounted LCD projectors up to 26 pounds. Projector is held in place with four adjustable arms which "reach-out" to the mounting nuts imbedded in the projector casing. Four sets of mounting screws and spacers are included, which fit most projectors. Knobs and handles make fine adjustments easy, even from awkward positions. Four models are available, plus an accessory mounting plate for drop ceilings. Hollow extension tube models adjust from 23" to 43" and are great for feeding cables. Easily re-adjusts for exchanging projectors. Aluminum construction, finished in neutral color which blends with all decor. Bretford recommends the use of a professional installer when installing LCD Projector mounts.



TPMUNI2

Flush ceiling projector mount includes the quick-release mechanism which allows for simple switching of data projectors. Grey. DIMENSIONS FROM CEILING TO MOUNTING ARMS: 8 1/2" PITCH: 10° ROLL: 10° YAW: 360° WEIGHT: 3 lbs. Ships UPS.




TPMUNI4

Deluxe projector mount includes an adjustable extension tube and quick-release mechanism. Grey. DIMENSIONS FROM CEILING TO MOUNTING ARMS: 26" to 46" PITCH: 10° ROLL: 10° YAW: 360° WEIGHT: 7 lbs. Ships UPS.



TPM8PLATE

8" wide Mounting Plate is designed specifically for drop ceiling installations. Includes mounting cables and hardware. Can only be used with TPMUNI mounts. Data plugs not included. DIMENSIONS OVERALL: 8"W x 24"L WEIGHT: 7 lbs. Ships UPS.



"Quick Release" mechanism allows easy disconnect from the mount for safe storage and maintenance.

LCD PROJECTOR MOUNTS



TPMA1-BK

This ceiling mount is for use with 1/2" NPS pipe or 1/4" threaded rod installation. Black. All mounting pipes, rods and accessories sold separately. See page 124-125. DIMENSIONS OVERALL: Up to 17"W x 27"D x 16"H PITCH: 10° ROLL: 10° YAW: 360° WEIGHT: 22 lbs. Ships UPS.




TPMA2-BK

This mount attaches flush to the ceiling. Flush mount plate included. Black. DIMENSIONS OVERALL: Up to 17"W x 27"D x 16"H PITCH: 10° ROLL: 10° YAW: 33° left and right off of projection line WEIGHT: 17 lbs. Ships UPS.



TPMA3-BK

This mount holds a projector to a single wood stud on the wall and includes a wall bracket arm. Black. All other mounting accessories sold separately. See page 124-125. DIMENSIONS OVERALL: Up to 17"W x 27"D x 16"H PITCH: 10° ROLL: 10° YAW: 360° WEIGHT: 31 lbs. Ships UPS, two cartons.



GENERAL SPECIFICATIONS

Bretford LCD Projector Mounts easily adjust to fit most LCD projectors and are available in many different styles for various methods of installation. Projector is held in place by 12- to 14-gauge steel arms, which allow air flow and access to functions on all sides of the projector. Mount has roll, pitch and yaw adjustments to fine tune your projector. Unique hanger support system allows one-man installation, and projector can be mounted right-side up or upside down. Easily re-adjusts for exchanging projectors. When you upgrade projectors, you won't have to purchase a new mount. Finished in Black powder paint. Bretford recommends the use of a professional installer when installing LCD Projector mounts.